



Application for Permit/Legal Agreement to Discharge Trade Waste to Sewer



IPSWICH WATER | ABN 61 461 981 077

Shop 101, Ipswich City Square, Bell Street, Ipswich QLD 4305

PO Box 191, Ipswich QLD 4305 Australia

Phone 07 3810 7855 | Fax 07 3810 7964

Email ipswichwater@ipswich.qld.gov.au | Website www.ipswichwater.com.au

I/We, being the Owner/s or Authorised Agent/s and the waste generator of the premises described in Section C of this form, hereby make an application to discharge trade waste from the premises into Council's reticulated sewerage system for transportation and treatment.

Trade Waste Discharge Permit Number

A. Property Owner/Ratepayer Details

Name

Address

Street No. Street

Suburb Postcode

Postal Address

Contact Name

Contact Number - Business Hours

Contact Number - Mobile

Fax

Email

B. Business Operator/Leaseholder

Business Name

Business Address

Street No. Street

Suburb Postcode

Postal Address

Contact Name

Contact Number - Business Hours

Contact Number - Mobile

Fax

Email

C. Property from which Trade Waste will be discharged

Business Name

Business Street Address

Shop No.	Shopping Centre Name (if applicable)
----------	--------------------------------------

Street No.	Street	Suburb	Postcode
------------	--------	--------	----------

D. Discharge Category (Refer to attachment - Explanatory Notes)

- Category 1 (Permit) (Less than 500kL p.a.) Category 2 (Permit) (More than 500kL p.a.) Category 3 (Permit) (Above standard admissions strength)

E. Trade Waste Discharged

Nature of trade/business/industry conducted (e.g. restaurant, dry cleaner, electro-platers, dentist etc.)

Details of processes and activities from which trade waste is generated

Maximum rate of discharge to sewer Litres per hour Equivalent to size of Grease Trap

Days of week discharge occurs

All	Mon	Tues	Wed	Thurs	Fri	Sat	Sun
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Basis for estimation of volume of discharge to sewer

Are food disposal units (i.e. garbage grinders used)? Yes No Motor sizes

Is potato peeling equipment used? Yes No Motor sizes

Is water supply to premises metered? Yes No

Are trade waste discharges to sewer metered? Yes No If yes, details to be provided separately

Number of pedestals/urinals installed on premises Total number on property if more than 1 generator

Estimated volume of water NOT discharged to sewer Litres per day Please include garden area in m² and water used for washdown

Garden area m²

Describe present/proposed method of pre-treatment of trade waste before discharge to sewer (e.g. pH correction, grease trap, silt trap, balance tank, biological process etc)

Name of present/proposed contractor to be used to clean trade waste pre-treatment equipment

Describe the present/proposed frequency of cleaning pre-treatment equipment

For Category 1 and 2 Permits, list provisions made to allow for measurement and sampling by Council of trade waste prior to entry to sewer

Nature of trade waste (i.e. physical/chemical parameters. Please note that Category 3 MUST complete this section. Category 1 & 2 complete if known).

Council may require further information/testing to be completed at the discharger's expense.

BOD mg/L

Temperature °C

COD mg/L

pH

Non-filterable residue mg/L

Oil/Grease mg/L

Total dissolved solids mg/L

Sulphur compounds mg/L

Metals Yes No

Other chemicals (if yes, complete details below) Yes No

Details of 'Other chemicals'

(Attach relevant Material Safety Data Sheets for chemicals of significant quantity)

Signatures

Owner/Authorised Agent

Date

Waste Generator

Position (e.g. Manager, Leaseholder)

Date